

# Honeywell CHF-210

CHF-210

## TYPICAL PROPERTIES:

Property	Value
Drop Point, Mettler	106 °C
Viscosity @ 140°C Brookfield	14 cps
Density	0.94 g/cm <sup>3</sup>

## PRODUCT FORM AND PACKAGING:

Property	Status
Product Form	Powder
Size	40 mesh( 85%pass, test method-309-OR)

Product is an external lubricant in Rigid PVC application.

Product is supplied as powder, essentially free of foreign material. It is packaged in 25 kg Kraft bags and shipped on pallets, 40 bags to a pallet, net weight 1,000 kgs, and stretch-wrapped. Pallet loads are approximately 1.3m long, 1.1m wide, and 1.6m high.

## SAFETY PRECAUTIONS:

Honeywell polymers are regarded as non-hazardous when exposure is controlled by using accepted industrial hygiene practices. Consult our Material Safety Data Sheet for specific recommendations on safe handling.

**Office:** Honeywell  
Corporate Headquarters  
101 Columbia Road  
Morristown NJ, 07962  
Tech Assistance: 973-455-5382  
Customer Service: 973-455-2145  
Toll Free in US:  
Tech Assistance: 800-451-9961  
Customer Service: 888-245-4738

Europe / Middle East /  
Africa / India  
Honeywell Europe NV  
Specialty Additives  
Haasrode Research Park  
Grauwmeer I  
B-3001 Heverlee, Belgium  
Telephone: +32-16-391-  
211  
Fax: +32-16-391-371

Asia / Pacific  
Honeywell  
No.430, Li Bing Road, Zhangjiang  
Hi-Tech Zone, Shanghai 201203  
China  
Telephone: +8621 2894-2000  
Fax: +8621 5855-3543

**WEBSITE:** [www.honeywell.com/additives](http://www.honeywell.com/additives)

DISCLAIMER: Although all statements and information contained herein are believed to be accurate and reliable, they are presented without guarantee or warranty of any kind, express or implied. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liability for use of the information and results obtained. Statements or suggestions concerning the use of materials and processes are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that all toxicity data and safety measures are indicated herein or that other measures may not be required.

2015, 11.20 Printed in USA  
© 2015 Honeywell International Inc.  
All rights reserved

ISO 9001:2000 Certified

**Honeywell**