

# Anhydrous Hydrogen Fluoride

CAS: 7664-39-3 (100% Hydrogen Fluoride by weight)

UN1052

## PRODUCT SPECIFICATION

Parameter	Limit	Test Method
Assay as Hydrogen Fluoride (weight %)	99.95	QSOP-CLAB-042
Nonvolatile Acidity (NVA) as H <sub>2</sub> SO <sub>4</sub> (ppm)	100	QSOP-CLAB-040
Sulfur Dioxide (ppm)	50	QSOP-CLAB-041
Water (ppm)	200	QSOP-CLAB-042
Arsenic (ppm)	25	QSOP-CLAB-036

### Notes:

1. Anhydrous Hydrogen Fluoride may contain minor amounts of impurities other than those specified. Customers should discuss particular concerns with their Industry Manager.
2. Analytical methods are conducted using latest revision.

**For More Information**  
[www.honeywell-hfacid.com](http://www.honeywell-hfacid.com)

**Honeywell Advanced Materials**  
 115 Tabor Road  
 Morris Plains, NJ 07950



1572 HF v3 | March 2019  
 © 2019 Honeywell International Inc.  
 All rights reserved.

Although Honeywell International Inc. believes that the information contained herein is accurate and reliable, it is presented without guarantee or responsibility of any kind and does not constitute any representation or warranty of Honeywell International Inc., either expressed or implied. A number of factors may affect the performance of any products used in conjunction with user's materials, such as other raw materials, application, formulation, environmental factors and manufacturing conditions among others, all of which must be taken into account by the user in producing or using the products. The user should not assume that all necessary data for the proper evaluation of these products are contained herein. Information provided herein does not relieve the user from the responsibility of carrying out its own tests and experiments, and the user assumes all risks and liabilities (including, but not limited to, risks relating to results, patent infringement, regulatory compliance and health, safety and environment) related to the use of the products and/or information contained herein.